

Table 34. Production information for irrigated performance test at the AG-CARES Farm, Lamesa, TX, 2002.

Test:	Nematode Strains				
Planting Date:	May 9				
Row Spacing:	40-in				
Planting Pattern:	Solid				
Herbicide:	Prowl @ 3 pt/A applied pre-plant				
Fertilizer:	10-34-0 @ 100 lb/A on April 18 32-0-0 @ 45 lb/A on July 3 and July 23				
Irrigations: (center pivot)	1.75 inches pre-plant				
	May	June	July	August	September
	10 - .3 in.	12 - .5 in.	1 - .4 in.	3 - .4 in.	3 - .4 in.
	13 - .3 in.	25 - .45 in.	5 - .4 in.	6 - .4 in.	6 - .4 in.
	16 - 3 in.		17 - .4 in.	9 - .4 in.	
	19 - .3 in.		20 - .4 in.	12 - .4 in.	
	28 - .3 in.		22 - .4 in.	15 - .4 in.	
	30 - .3 in.		26 - .4 in.	18 - .4 in.	
			28 - .4 in.	21 - .4 in.	
			30 - .4 in.	23 - .4 in.	
				26 - .4 in.	
				28 - .4 in.	
				31 - .4 in.	
Insecticide:	Temik @ 3.5 lbs/A at planting				
Harvest Aids:	Ginstar @ 6 oz/A + Boll'd @ 1 pt/A on September 18 Cyclone @ 16 oz/A on September 30				
Harvest Date:	October 11				
Freeze Date:	November 28				