

Table 3. Yield summary of the drip irrigated cotton variety test at the Donald Love Farm, Lamesa, TX, 2005.

Name	2000	2002	2003	2004	2005	Average	Comp. Average*
Five Year Average							
FiberMax 958	1570	1629	1375	950	1451	1395	
Paymaster 2326 RR	801	1332	1222	895	980	1046	
Stoneville 4892 BR	1360	1803	1299	769	1433	1333	
Four Year Average							
Acala 1517-95		1441	1243	837	986	1127	1120
All-Tex Atlas RR		1302	1107	769	1022	1050	1043
Deltapine 555 BG/RR		1430	1292	648	1313	1171	1164
FiberMax 989 BR		1660	1503	967	1474	1401	1395
FiberMax 989 RR		1684	1894	814	1389	1445	1439
Paymaster 2167 RR		1482	1475	1005	1072	1259	1252
Paymaster 2266 RR		1337	1315	853	1071	1144	1138
Stoneville 5303 R		1528	1144	835	1231	1185	1178
Stoneville 5599 BR		1811	1363	955	1059	1297	1291
Three Year Average							
Beltwide Cotton Genetics 24 R			1402	763	1106	1090	1183
Deltapine 434 RR			1322	963	1104	1130	1223
Deltapine 488 BG/RR			1206	798	1242	1082	1175
Deltapine 494 RR			1390	752	1316	1153	1246
FiberMax 958 LL			1526	990	1306	1274	1367
FiberMax 960 RR			1544	860	1438	1281	1374
FiberMax 966 LL			1603	982	1246	1277	1370
Stoneville 5242 BR			1374	1071	1185	1210	1303

*Patterson, R.E. 1950. A method of adjustment for calculating comparable yields in variety tests.